

भारतीय मानक ब्यूरो (उपभोक्ता मामने, बाद्य एवं मार्वजनिक वितरण मंत्रालय, भारत मरकार) BUREAU OF INDIAN STANDARDS (Ministry of Consumer Affairs, Food & Public Distribution, Govt. of India)

मानक भवन, 9 बहादुर शाह जफ़र मार्ग, नई दिल्ली – 110002 Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi – 110002 दूरभाप/Phone: +91-11-23230856/2323010131/23233375/23239402

ई-मेल/E-mail: registration@bis.gov.in

वेबसाईट/Website: https://bis.gov.in/, https://www.crsbis.in/BIS/

Our Ref: Registration/CRS 2022-0163/R-62002968

Date:22-03-2022

Subject: Licence Document

Manufacturing	R R KABEL LIMITED	
Unit:	NO 140, 4TH PHASE BOMMASANDRA INDUSTRIAL AREA	
	,BANGALORE	
	KARNATAKA,India-560099	
	manjunath.bhagwat@rrglobal.com	100 TO 10
	9900367744	TERRS-NATIONAL

Dear Sir,

1. With reference to your Application, we are pleased to inform you that it has been decided to grant you licence as per details given below:

Product Category:	Recessed LED Luminaires	
Product Name:	Recessed LED Luminaries	
IS NO:	IS 10322 (PART 5/SEC 2): 2012	
Brand (As Declared by Manufacturer):	Arraystorm Sense the Future	
Model:	[Brand -> Arraystorm Sense the Future, Models -> ASRM3063RM40IN012, ASSL3002RF57IN012, ASSL3003RF40IN018, ASSL3003R F57IN024, ASSL3004RF57IN030, ASSL3012RM57IN012, ASSL3013RM40IN024, ASSL3013RM57IN018, ASSL3014RM57IN030, A SSL3015RM40IN040, ASSL3022RF57IN012, ASSL3023RF40IN024, ASSL3023RF57IN018, ASSL3024RF57IN030, ASSL3032RM40I N012, ASSL3033RF58IN018, ASSL3042SF40IN018, ASSL3043SF57IN030, ASZM3062RM57IN012, ASZM3064RM40IN030]	
Factory Address:	NO 140, 4TH PHASE BOMMASANDRA INDUSTRIAL AREA ,BANGALORE KARNATAKA,India-560099	

- 2. The licence is being granted for your unit located at the address and for the brand and models mentioned at serial no 1 above.
- 3. The number assigned to this Licence is **R-62002968** which has been made operative from **22-03-2022** and is valid upto **21-03-2024**. The Licence Number shoul invariably be referred to in your future correspondence.
- 4. The rights and privileges under the licence shall not be exercised by any other factory / organization at any other location. This licence is not transferable. In the event c shifting of the manufacturing machinery from the registered premises to some other place use of the licence Number shall be stopped and BIS shall be informed.
- 5. The licensee shall comply with the provisions of the Act, rules and regulations framed thereunder and as amended from time to time.
- 6. The licensee shall follow the guidelines for the use of Standard Mark and labeling requirements as per Annex-I.
- 7. The licensee shall not use the licence in any manner which contravenes the provisions of Act, rules and regulations framed thereunder and as amended from time to time.
- 8. Upon expiry of validity, stoppage or suspension or cancellation of licence, you shall discontinue forthwith the self declaration of conformity to the relevant India Standard(s) and withdraw all promotional and advertising matter which contains any reference thereto.
- 9. For renewal of licence, the licensee shall have to apply to BIS three months in advance before expiration of the licence and application form for renewal is available o BIS website.
- 10. The licence is not transferable. Kindly acknowledge receipt of this letter.

Thanking you,

Yours faithfully, (Avik Datta) Scientist-C


Telfax: +91-11-23230856 E-mail: registration@bis.gov.i


Note: This is a system generated letter. Hence signature is not required. To verify authentication of letter, kindly scan the QR code on this letter.

Annex - 1

The guidelines for use of Standard Mark for Scheme-C are per 3(1) of BIS (Conformity Assessment) Regulations, 2017 are given below:

- i) The monogram of the 'Standard Mark' consists of the pictorial representation, drawn in the exact style as indicated in the figure in Annexure I. Its photograpi reductin and enlargement is permitted.
- ii)The 'Standard Mark' can be displayed in single colour or multi-colour as per the details given below. The colour scheme for the Standard Mark to be used in multi colu shall be use as indicated below.
- iii) The licensee shall diplay the 'Standard Mark' on the article and/or the packaging, as the case may be, in a manner so as to be easily visible. It shall be legible, indelibl and non-remobable. Further, the durability of marking shall be as per the provisions of the relevant Indian Standard, wherever applicable. The diplay of IS numbe Registration number and words shall not be less than Arial forn size 6.
- iv) Any device with a integrated display sceen may present the Standard Mark electronically (e-labelling) in lieu of a physical presentation on the product.





-	
D5	42.4
D6	8.57
В1	240.4
B2	175.48
ВЗ	66.26
В4	12.00
В5	8.24

For multicolour Standard Mark the colour scheme shall be - Red, Blue and Black.

- a) For printing purposes, colours shall be "Oriental Blue" and "Monopol Red" as per IS 1222:1992. 'Ink, duplicating for twin cylinder rotary machines (third revision)'
- b) For sign board purposes, colurs shall be "French Blue" (No.166)

 Red" (No.537) as per IS 5:1994 "Colours for ready mixed paints and enamels (fourth revision)".

For single colour Standard Mark, there is no restriction in the choice of the colour.

The font style and size used is Arial-85 pt.





For details information on BIS, consult the e-BIS Portal (www.manakonline. in). Please use BIS CARE APP for verification of ISI-marked goods and hallmarked gold jewellery.