

29.7 cm

29.7 cm



R R Kabel Limited

Corp. Office:

Alembic Business Park (West), Ground Floor, Bhailal Amin Marg, Gorwa, Vadodara - 390 003, Gujarat.

Regd. Office:

R R Kabel Limited, Ram Ratna House, Oasis Complex, P. B. Marg, Worli, Mumbai, 400 013,

Tel No.: +91-22-24929009 / 24924144

Customer Care Toll Free No.: 1800 203 2676

Email: customercare@rrglobal.com

Terms & conditions apply.


"Photographs of the Products shown above are indicative only. Owing to continuous innovation and improvements, actual product may vary in design, description, colors and color combinations from one shown herein. Care has been taken to ensure that information contained herein is correct and updated from time to time. RR KABEL LIMITED, however, takes no responsibility of the variations and reserves its right to make changes in the data/details, without any prior intimation or notice."

59.4 cm

LUMINOUS Lighting

IS
NOW

RR signature Lights



EXQUISITE LIGHTING
COLLECTION 2024

21 cm

29.7 cm

29.7 cm



ABOUT RR GLOBAL

RR Global, a USD 1.25 billion conglomerate has moulded its success on innovation. Since the foundation of the brand, its architects opted that innovation is the key to success of every product in the brand. It was a really courageous decision because at that point in time categories like wires and cables were highly commoditized. This optimistic development led to the creation of a brand - RR Kabel, a name which is admired worldwide with existence over 90+ countries across the globe.

Presently the company is ranked amongst the top three retail wire manufacturers across the nation. It is also the largest consumer of copper in India, an achievement which no one would have imagined a cable and wire company to be capable of and that is the reason they are preferred by clients who are some of the largest copper manufacturer in the country.

RR Global takes honour in establishing 9 companies and global offices, primarily in the U.A.E and Bangladesh. In their endeavour to set international benchmarks, RR Kabel has received 19 international accreditations. They are the first in India to have BASEC (U.K.), UL (U.S.A.), VDE (Germany), among others for its wide range of cables including ISO 50001 and ISO 14001.

Across the course of four decades, their impulse towards innovation to achieve success and hard work steered them to earn phenomenal recognition with RR Kabel becoming the desired choice for wires and cables not only in India but also on a global platform.

RR Global India focusses on cutting edge technology and research to enhance efficiency, reliability, and safe conduction of electricity. This in turn supported the core of the company's engineering endeavour which is to guarantee safe environments everywhere- offices, commercial spaces, Industrial plants, and residences.

59.4 cm

21 cm

29.7 cm

29.7 cm



ABOUT RR SIGNATURE

Introducing RR Signature, a premium brand with world-class offerings envisioned to create timeless indoors. With Luminous' design sensibilities and passion for innovation backed by RR's legacy built over four decades, stay rest assured that your ideas will come to life. Our offerings bring you pieces that are exquisite, balanced and unique to bring you fans that are both functional and beautiful. Going forward we'll bring offerings that expand in versatility, range, and innovations. Whether you're looking to enhance the look of your bedroom, living room, office or any other space, we've got you covered. Browse through our catalogue and discover how our fans can help add charm to your beautiful home.

21 cm

02

03

59.4 cm

29.7 cm

29.7 cm



RR
signature
Lights

WE EXPERIMENT SO LIFE BECOMES SIMPLER FOR YOU

We innovate not to isolate you from technology, but to make our technology feel more empathetic. We create products that understand and respond to your needs. Our intensive research and development are what make us the leading power and home electrical specialists; We do whatever it takes to find the most effective lighting solutions, with our customer's best interests at the heart of it.

04

05

59.4 cm

21 cm

29.7 cm

29.7 cm



RR
signature
Lights

WHEN WE CREATE, WE HAVE YOU BOTH IN OUR MINDS AND HEARTS.

Doesn't it feel great to be understood? We understand that some days a smile is all it takes to light up a room, while other days call for a more gentle and mellow mood. We know that romance demands the opposite of bright lighting, yet mood lighting doesn't work when you need to focus.

21 cm

06

07

59.4 cm

29.7 cm

29.7 cm



WIDE RANGE OF LIGHTING

08

59.4 cm

RR
signature
Lights

BECAUSE YOUR DAY HAS A RANGE OF DIFFERENT MOMENTS.

When it comes to our intuitive products, we don't just innovate, we pre-empt your every possible need. Our extensive range of LED lighting will ensure you find exactly what you're looking for, no matter which corner of your home it's for. With the goodness of unwavering, effective and glare-free lighting, our LED Lighting conserve up to 85% energy while assuring lifelong brightness, hassle-free performance, and custom brightness distribution. Here's to lighting that feels like home.

09


21 cm

29.7 cm

29.7 cm




Unique
Architectural
Design



Fits in Standard B22d Holder –
No Electrician required



10W Light:
920 Lumens



Adjustable Illumination
direction with two-way rotation



DESIGNER
LAMPS

Input Power	Rated Efficacy	CCT (K)	PF	CRI	Color
10W	92lm/W	6500K	CDL	>0.9	≥80

APPLICATION



Showrooms



Institutions



Shops



Common
Areas



21 cm

59.4 cm

10

11


29.7 cm

29.7 cm




HAZEL DESIGNER LED LAMPS

10W




Unique
Architectural
Design



Fits in Standard B22d Holder –
No Electrician required



10W Light:
920 Lumens



Adjustable Illumination
direction with two-way rotation



Input Power	Rated Efficacy	CCT (K)	PF	CRI	Color
10W	92lm/W	6500K	CDL	>0.9	≥80

APPLICATION



Showrooms



Institutions



Shops



Common
Areas



21 cm

59.4 cm

29.7 cm

29.7 cm




WAVE LED ROPE LIGHT

8W per/mtr
12W per/mtr



Outdoor Application



Decorative Lighting



Wattage (per meter)	Color	Length (meter)	LEDs/m	IP
8W/m	CW/NW/WW Red/Green/Blue/Pink Purple/Ice Blue/Amber	45	60	65
12W/m	CW/NW/WW Red/Green/Blue/Pink Purple/Ice Blue/Amber	45	120	65

APPLICATION



Homes



Restaurants



Showrooms



Poles Lighting



Galleries



Contour Lighting

59.4 cm

21 cm


29.7 cm

29.7 cm

LAUNCHING SOON

CELESTIA NEO DOWNLIGHT ROUND

9W | 15W



6500K High Functional Light Efficacy (upto 100 Lumens per watt)



High Colour Rendering index (CRI > 80) for true colours



Mood Lighting




LED DOWNLIGHTERS

Wattage Variants	Color 3CCT Tunable	Cut-out Dimension (mm)	PF	CRI	*Lumen Efficacy
9W	CW, WW, NW	96	>0.9	≥80	90 lm/W
15W	CW, WW, NW	145	>0.9	≥80	100 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CDL), 4000K (NW), 3000K (WW)



APPLICATION



Homes



Small offices



Showrooms

21 cm

59.4 cm

29.7 cm


29.7 cm

LAUNCHING SOON



CELESTIA NEO DOWNLIGHT SQUARE

9W | 15W



6500K High Functional Light Efficacy (upto 100 Lumens per watt)



High Colour Rendering index (CRI > 80) for true colours




Mood Lighting



Wattage Variants	Color 3CCT Tunable	Cut-out (LxW) mm	PF	CRI	*Lumen Efficacy
9W	CW,WW,NW	96x96	>0.9	≥80	90 lm/W
15W	CW,WW,NW	145x145	>0.9	≥80	100 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CDL), 4000K (NW), 3000K (WW)



APPLICATION



Homes



Small offices




Showrooms

21 cm

59.4 cm


29.7 cm

29.7 cm



**CELESTIA
DOWNLIGHTER
ROUND
(Backlit Technology)**

6W | 10W | 12W | 15W | 20W



6500K High Functional
Light Efficacy
(upto 100 Lumens
per watt)



High Colour Rendering
index (CRI>80)
for true colours



Wattage Variants	Color	Cut-out Dimension(mm)	PF	CRI	*Lumen Efficacy
6W	CW,WW,NW	96	>0.9	≥80	85 lm/W
10W	CW,WW,NW	96	>0.9	≥80	90 lm/W
12W	CW,WW,NW	130	>0.9	≥80	100 lm/W
15W	CW,WW,NW	145	>0.9	≥80	100 lm/W
20W	CW,WW,NW	201	>0.9	≥80	100 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CDL), 4000K (NW), 3000K (WW)

APPLICATION



Homes



Restaurants




Hotels

21 cm

59.4 cm


29.7 cm

29.7 cm



CELESTIA DOWNLIGHTER SQUARE (Backlit Technology)

6W | 10W | 12W | 15W | 20W



6500K High Functional
Light Efficacy
(upto 100 Lumens
per watt)



High Colour Rendering
index (CRI>80)
for true colours



Wattage Variants	Color	Cut-out (LxW) mm	PF	CRI	*Lumen Efficacy
6W	CW,WW,NW	96x96	>0.9	>80	85 lm/W
10W	CW,WW,NW	96x96	>0.9	>80	90 lm/W
12W	CW,WW,NW	130x130	>0.9	>80	100 lm/W
15W	CW,WW,NW	145x145	>0.9	>80	100 lm/W
20W	CW,WW,NW	201x201	>0.9	>80	100 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CDL), 4000K (NW), 3000K (WW)

APPLICATION



Homes



Small offices




Showrooms

21 cm

59.4 cm



29.7 cm

29.7 cm



CELESTIA 2x2 LED DOWNLIGHTER


40W




6500K High Functional
Light Efficacy
(100 Lumens per watt)



High Colour Rendering
index (CRI>80)
for true colours



Ultra Slim
Construction



Smooth Light
Distribution



Safe for
Eye

Wattage Variants	Color	Cut-out Dimension (mm)	PF	CRI	*Lumen Efficacy
40W	CW/NW/WW	595mmx595mm	>0.9	>80	100 lm/W

Lumens @6500K, may vary as per colour

* CCT-6500K (CDL), 4000K (NW), 3000K (WW)

APPLICATION



Homes



Shopping Malls



Showrooms

21 cm

59.4 cm

24

25


29.7 cm

29.7 cm




ZOLO ECO LED SLIM PANEL ROUND (Edgelit Technology)

6W | 9W | 12W | 15W



Ultra Slim Construction



Smooth Light Distribution



Safe for eyes



Lifelong Brightness



LED SLIMPANEL

Wattage Variants	Color	Cut-out Dimension (mm)	PF	CRI	*Lumen Efficacy
6W	CW	105	>0.9	>80	70 lm/W
9W	CW	105	>0.9	>80	70 lm/W
12W	CW	155	>0.9	>80	80 lm/W
15W	CW	155	>0.9	>80	80 lm/W

* Lumens @ 6500K, may vary as per colour

APPLICATION



Homes



Hotels



Showrooms

21 cm

59.4 cm


29.7 cm

29.7 cm




ZOLO ECO LED SLIM PANEL SQUARE (Edgelit Technology)

6W | 9W | 12W | 15W



Ultra Slim Construction



Smooth Light Distribution



Safe for eyes



Lifelong Brightness



Wattage Variants	Color	Dimension (ΦxH)	PF	CRI	*Lumen Efficacy
6W	CW	105x105	>0.9	>80	70 lm/W
9W	CW	105x105	>0.9	>80	70 lm/W
12W	CW	155x155	>0.9	>80	80 lm/W
15W	CW	155x155	>0.9	>80	80 lm/W

* Lumens @ 6500K, may vary as per colour

APPLICATION



Homes



Hotels



Showrooms

21 cm

59.4 cm


29.7 cm

29.7 cm



CELESTIA LED SURFACE PANEL ROUND

8W | 15W | 22W



Slim
Compact
Beauty



Safe For
Eyes



High Colour
Rendering
Index (CRI>80)
for true colours



Wattage Variants	Color	Dimension (ΦxH)	PF	CRI	*Lumen Efficacy
8W	CW,NW,WW	90x25	>0.9	≥80	80 lm/W
15W	CW,NW,WW	120X25	>0.9	≥80	80 lm/W
22W	CW,NW,WW	155X25	>0.9	≥80	80 lm/W

* Lumens @ 6500K, may vary as per colour

APPLICATION



Homes



Shops

LED SURFACE
PANEL

21 cm

59.4 cm


29.7 cm

29.7 cm



CELESTIA LED SURFACE PANEL SQUARE

8W | 15W | 22W



Slim
Compact
Beauty



Safe For
Eyes



High Colour
Rendering
Index (CRI>80)
for true colours



Wattage Variants	Color	Dimension (LxWxH)	PF	CRI	*Lumen Efficacy
8W	CW,WW,NW	90x90x25	>0.9	≥80	80 lm/W
15W	CW,WW,NW	120X120X25	>0.9	≥80	80 lm/W
22W	CW,WW,NW	155X155X25	>0.9	≥80	80 lm/W

* Lumens @ 6500K, may vary as per colour

APPLICATION



Homes



Shops

21 cm

59.4 cm


29.7 cm

29.7 cm



LED SURFACE PANEL-STRIKER

3W



Smooth Light Distribution



Lifelong Brightness



Wattage Variants	Color	Size Dia xH (mm)	PF	CRI	*Lumen Efficacy
3W	CW/WW Red/Green/Blue/Pink	68x14	>0.9	>80	55 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CDL), 3000K (WW)

APPLICATION



Homes



Hotels



Cafes

21 cm

59.4 cm

34

35


29.7 cm

29.7 cm



COMET PRO CEILING LIGHTS

3W



Slim
Compact
Beauty



Safe For
Eyes



High Colour
Rendering
Index (CRI>80)
for true colours



Wattage Variants	Color	Cut-out Dimension (mm)	PF	CRI	*Lumen Efficacy
3W	CW/WW Red/Green/Blue/Pink	58	>0.9	>80	80 lm/W

* Lumens @ 6500K, may vary as per colour

APPLICATION



Homes



Shops



Cafes

LED CEILING PANEL

21 cm

59.4 cm

36

37


29.7 cm

29.7 cm



COMET ECO CEILING LIGHTS

5W | 7W | 9W



High Efficacy Of 80 Lumens Per Watt



Suitable For 4-inch Junction Box Ceiling Fitting



Suitable For False Ceiling Installation



Wattage Variants	Color	Cut-out Dimension (mm)	PF	CRI	*Lumen Efficacy
5W	CW/NW/WW Red/Green/Blue/Pink	80	>0.9	>80	80 lm/W
7W	CW/WW/NW	85	>0.9	>80	80 lm/W
9W	CW/WW/NW	85	>0.9	>80	80 lm/W

Lumens @6500K, may vary as per colour

* CCT-6500K (CDL), 4000K (NW), 3000K (WW)

APPLICATION



Homes



Shops



Cafes

21 cm

59.4 cm

29.7 cm

29.7 cm



COMET ECO LITE MINI DUAL COLOR CEILING LIGHTS


7W



High Colour Rendering Index (CRI>80) for true colours




Suitable For 2.5-inch Junction Box Ceiling Fitting



Lifelong Brightness



Wattage Variants	Color	Cut-out Dimension Dia (mm)	PF	CRI	Lumen Efficacy
7W	CDL + WW	50	>0.9	≥80	57 lm/W



APPLICATION



Homes



Shops



Cafes

21 cm

40

41

59.4 cm


29.7 cm

29.7 cm

LAUNCHING SOON

COMET NEO 2 IN 1


7W | 12W



High Colour Rendering Index (CRI > 80) for true colours




Suitable For 2.5-inch Junction Box Ceiling Fitting



Lifelong Brightness



Wattage Variants	Inner Circle Color	Outer Ring Color (mm)	Cut-out Dimension	PF	CRI	Lumen Efficacy
7W	CW	WW/Pink/Blue/Green	50	>0.9	>80	100 lm/W
12W	CW	WW/Pink/Blue/Green	50	>0.9	>80	100 lm/W



APPLICATION



Homes



Shops



Cafes

21 cm

59.4 cm

29.7 cm

29.7 cm



SPECTRA ECO SWIVEL DOWNLIGHT

3W | 6W | 9W | 12W



Spotlight illumination



Intense Focused Light, Tiltable Design, Unique Lens



Wattage Variants	Color	Cut-out Dimension (mm)	PF	CRI	Lumen Efficacy	CCT
3W	WW	55	>0.9	>80	70 lm/W	3000K
6W	WW	67	>0.9	>80	80 lm/W	3000K
9W	WW	90	>0.9	>80	80 lm/W	3000K
12W	WW	112	>0.9	>80	80 lm/W	3000K

APPLICATION



Homes



Hotels



Showrooms

LED SWIVEL DOWNLIGHT

21 cm

59.4 cm


29.7 cm

29.7 cm



SPECTRA ECO SPOTLIGHT

2W



Spotlight illumination



Intense Focused Light



Wattage Variants	Color	Cut-out Dimension (mm)	PF	CRI	*Lumen Efficacy
2W	CW/WW Red/Green/Blue/Pink	34.5	>0.9	>80	50 lm/W

Lumens @6500K, may vary as per colour

* CCT-6500K (CDL), 3000K (WW)

APPLICATION



Homes



Hotels



Showrooms



Wooden Furniture

LED SPOT LIGHT

21 cm

59.4 cm

29.7 cm

29.7 cm



WALL
DECOR



Indoor
Usage



B22 base
cap



Strong
Polycarbonate
body

RR
signature
Lights



Secura 150mm



Starex 150mm

APPLICATION



Homes



School
& College



Bungalows



Office
Areas

21 cm

59.4 cm

29.7 cm

29.7 cm



GATE DECOR



IK07



B22 base cap



Strong Polycarbonate body



Pearl 150mm



Starex 150mm



Secura 150mm



Secura 200mm



Thunder 200mm



Glowbox 200mm

APPLICATION



Homes



School & College



Bungalows



Office Areas

59.4 cm

21 cm

29.7 cm

29.7 cm



QUANTO PRO FLOODLIGHT

20W | 30W | 50W | 100W | 150W | 200W



IK07

Strong and Sturdy Construction

4KV

High Surge Protection

IP65

Coated Aluminium Alloy for Weather Protection



Wattage Variants	Color	Dimension (LxW) mm	PF	Lumen Efficacy
20W	CW, WW	120 x 113	>0.9	100 lm/W
30W	CW, WW	142 x 129	>0.9	100 lm/W
50W	CW, WW	169 x 212	>0.9	100 lm/W
100W	CW, WW	202 x 212	>0.9	100 lm/W
150W	CW, WW	275 x 285	>0.9	100 lm/W
200W	CW, WW	315 x 333	>0.9	100 lm/W

* Lumens @ 6500K, may vary as per colour

APPLICATION

- Offices
- Malls
- Assembly Lines
- Parking
- Warehouses
- Railway & Airports Station
- Sport Halls
- Recreational Facilities
- Gardens & Parks

LED FLOOD LIGHT

21 cm

59.4 cm

29.7 cm

29.7 cm



SREETO ECO STREET LIGHT


20W | 30W | 50W | 70W | 100W



Certified Bright LEDs



Protection from dust & Moisture



Non-Flickering Performance



Wattage Variants	Color	Dimension (LxW) mm	PF	CRI	Lumen Efficacy	Power Surge Protection	IP
20W	CW	255 x 102	>0.9	≥70	100 lm/W	4KV	IP66
30W	CW	298 x 120	>0.9	≥70	100 lm/W	4KV	IP66
50W	CW	346 x 142	>0.9	≥70	100 lm/W	4KV	IP66
70W	CW	393 x 163	>0.9	≥70	100 lm/W	4KV	IP66
100W	CW	455 x 191	>0.9	≥70	100 lm/W	4KV	IP66

APPLICATION



Villas



School & College



Condominiums



Cafes



Pathways

LED STREET LIGHT

59.4 cm

21 cm

29.7 cm

29.7 cm



LED BATTEN TUNABLE WHITE

20W



Mood Lighting




High Colour Rendering Index (CRI>80) for true colours



Product Name	Input Power	Color	Shape	Size (mm)	PF	CRI	*Lumen Efficacy
DuraGlo Neo	20W	Tunable White CW/NW/WW	Square	1100	>0.9	≥80	100 lm/W

* Lumens @ 6500K, may vary as per colour



APPLICATION



Homes



Shops


LED BATTENS

59.4 cm

21 cm


29.7 cm

29.7 cm



LED BATTEN PC FRAME

5W | 10W | 20W | 22W | 24W



Sleek
Square
Shape
Illumination



Robust
Electronics
For Long-life &
Diffused Optics



Unibody
Mechanical
Construction



Product Name	Input Power	Color	Shape	Size (mm)	PF	CRI	Lumen @ 6500K
DuraGlo Lite	5W	CW	Square	300	>0.9	≥80	500lm
DuraGlo Lite	10W	CW	Square	600	>0.9	≥80	1000lm
DuraGlo Lite	20W	CW	Square	1100	>0.9	≥80	2000lm
DuraGlo Lite	20W	NW	Square	1100	>0.9	≥80	1900lm
DuraGlo Lite	20W	WW	Square	1100	>0.9	≥80	1800lm
DuraGlo Plus	22W	CW	Square	1135	>0.9	≥80	2200lm
SpectraGlo Plus	24W	CW	Square	1135	>0.9	≥80	2400lm

APPLICATION



Homes



Small
Offices



Showrooms

21 cm

59.4 cm


29.7 cm

29.7 cm



LED BATTEN ALUMINUM FRAME

36W



Sleek
Square
Shape
Illumination



Robust
Electronics
For Long-life &
Diffused Optics



Unibody
Mechanical
Construction



Product Name	Input Power	Color	Shape	Size (mm)	PF	CRI	Lumen @ 6500K
MaxiGlo Plus	36W	CW	Square	1185	>0.9	≥80	3600lm
MaxiGlo Plus	36W	WW	Square	1185	>0.9	≥80	3240lm

APPLICATION



Homes



Small
Offices



Common
Area

21 cm

59.4 cm

60

61


29.7 cm

29.7 cm



LED COLOR BATTEN DURAGLO LITE

20W



Sleek Square Shape Illumination



Robust Electronics For Long-life & Diffused Optics



Strong Unibody Mechanical Construction



Product Name	Input Power	Color	Shape	Size (mm)	PF	CRI	Material
Duraglo Lite	20W	Pink, Green, Blue, Red	Square	1100	>0.9	≥80	Plastic

APPLICATION



Homes



Small Offices



Showrooms

21 cm

59.4 cm

29.7 cm

29.7 cm



LED INVERTER LAMP

9W | 12W



8-10 hrs
Charging
time



Upto 4 hours
Backup time



Overcharging &
deep discharge
protection



Input Power	Color	Size (mm)	PF	CRI	Lumen@ 6500K
9W	CDL	70 x 138	>0.9	≥80	900lm
12W	CDL	70 x 138	>0.9	≥80	1200lm

APPLICATION



Showrooms



Institutions



Shops



Common Areas

21 cm

59.4 cm

29.7 cm

29.7 cm



LED HB PRO LITE LAMPS

6W | 8W | 9W | 10W | 12W
15W | 18W | 20W | 23W



- Bigger Diffuser
- Brighter Lighting
- Work On Wide Voltages
- Safe for eyes



Input Power	Color	Base/Cap Dia x H (mm)	Size	PF	CRI	Lumens
2.7W	CW	B22d	50x86	>0.9	≥80	270
2.7W	CW	E27	50x86	>0.9	≥80	270
2.7W	WW	B22d	50x86	>0.9	≥80	250
2.7W	WW	E27	50x86	>0.9	≥80	250
6W	CW	B22d	60 x 110	>0.9	≥80	630
8W	CW	B22d	60x110	>0.9	≥80	840
9W	CW	B22d	60 x110	>0.9	≥80	945
9W	CW	E27	60 x110	>0.9	≥80	945
9W	WW	B22d	60 x110	>0.9	≥80	828
9W	WW	E27	60 x110	>0.9	≥80	828
10W	CW	B22d	60 x110	>0.9	≥80	1000
12W	CW	B22d	64 x121	>0.9	≥80	1260
15W	CW	B22d	70 x130	>0.9	≥80	1575
18W	CW	B22d	80 x150	>0.9	≥80	1890
20W	CW	B22d	80 x150	>0.9	≥80	2100
20W	WW	B22d	80 x150	>0.9	≥80	1840
23W	CW	B22d	80 x150	>0.9	≥80	2520

- APPLICATION
- Showrooms
 - Institutions
 - Shops
 - Common Areas

21 cm

59.4 cm


29.7 cm

29.7 cm



LED BLAZE ECO LAMPS

30W | 40W | 50W



Bigger
Diffuser



Brighter
Lighting



Works on
Wide
Voltages

Input Power	Color	Size Dia x H (mm)	PF	CRI	Lumen Efficacy	Lumen@ 6500K
30W	CW	100 x 152	>0.9	≥80	3150lm	105lm/W
30W	WW	100 x 152	>0.9	≥80	2760lm	92lm/W
40W	CW	120 x167	>0.9	≥80	4000lm	100lm/W
40W	WW	120 x167	>0.9	≥80	3600lm	90lm/W
50W	CW	140 x190	>0.9	≥80	5000lm	100lm/W
50W	WW	140 x190	>0.9	≥80	4500lm	90lm/W

APPLICATION



Showrooms



Institutions



Shops



Common Areas

21 cm

59.4 cm

29.7 cm

29.7 cm



AMBER ECO LED DECO LAMPS

0.5W



Rich colors for decoration



Soothing effect for sleep mode



Input Power	Color	Dimension Dia x H (mm)	Beam Angle	Base
0.5W	White, Warm White Yellow, Red, Blue, Green Multicolor	45 x 70	200°	B22d

* Lumen may vary as per colour.

APPLICATION



Bedrooms



Prayer Rooms



Staircases

21 cm

59.4 cm

